JOURNAL OF PLASMA PHYSICS

VOLUME 30
1983

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press 1983

Printed in Great Britain at the University Press, Cambridge

CONTENTS TO VOLUME 30

PART 1 AUGUST 1983

Coupling mechanism of boundary sheaths and wave launcher in a collisionless plasma. H. FUJITA and S. YAGURA *page* 1

Plasma transport in stochastic magnetic fields. Part 3. Kinetics of test particle diffusion. J. A. KROMMES, C. OBERMAN and R. G. KLEVA 11

A linear model for the tearing mode of a tokamak plasma with flow and a resistive wall boundary condition. T. H. JENSEN and M. S. CHU 57

Scattering of waves by Langmuir solitons. J. T. MENDONÇA 65

Linear density drift instabilities in very low beta plasmas: a different approach. S. P. GARY 75

Inhomogeneous stationary states of two-dimensional magnetofluids. R. CALINON and D. MERLINI 95

Forced reconnexion by fast magnetosonic waves in a current sheet with stagnation-point flows. J. SAKAI 109

Weakly relativistic dielectric tensor and dispersion functions of a Maxwellian plasma. V. KRIVENSKI and A. OREFICE 125

Plasma boundary motion and the ion-acoustic wave. N. ST. J. BRAITHWAITE and L. M. WICKENS 133

Transport by weak electrostatic density drift fluctuations. J. J. SANDERSON and S. P. GARY 153

Stabilizing and destabilizing influence of the Hall effect in a Z pinch with a step-like volume current profile. U. SCHAPER 169

PART 2 OCTOBER 1983

Linear conversion in a magnetized plasma with density gradient parallel to the magnetic field. E. MJØLHUS 179

Nonlinear Rayleigh–Taylor instability in hydromagnetics. B. B. CHAKRABORTY, A. R. NAYAK and H. K. S. IYENGAR 193

Effect of finite spectral width on the modulational instability of Langmuir waves. J. C. BHAKTA and D. MAJUMDER 203

Nonlinear variations of the reflexion coefficient for lower-hybrid heating. V. A. PETRŽÍLKA, R. KLÍMA and P. PAVLO 211

A retarded time superposition principle and the relativistic collision operator. K. HIZANIDIS, K. MOLVIG and K. SWARTZ 223

On the negative resistance of double layers. M. A. Raadu and M. B. Silevitch 249

On the existence of a free boundary solution of the Grad–Shafronov equation. N. Fujii and M. Hirai 255

Guided modes between upper-hybrid and plasma resonance. G. J. Morales and J. E. Maggs 267

Large-amplitude disturbances caused by ion-rich sheath motion. A. J. Coates, P. D. Edgley and J. E. Allen 275

The effect of thermal anisotropy on the propagation of whistler waves in mixed hot–cold electron plasmas. H. Hamabata 291

Asymptotic solution for field-line reconnexion. Compressible case of Petschek's model. V. S. Semenov, I. V. Kubyshkin and M. F. Heyn 303

Field-line reconnexion in the two-dimensional asymmetric case. V. S. Semenov, I. V. Kubyshkin, M. F. Heyn and H. K. Biernat 321

Part 3 December 1983

Nonlinear coupling of two three-wave systems in plasma. S. Basu and R. K. Roychowdhury 345

The structure of MHD shock waves. O. Badr 359

Improved derivation of the modified BGK collision term and applications to the Hall effect and cold plasma dispersion relation. M. Nagata 371

Application of catastrophe theory to a point model for bumpy tori with neoclassical non-resonant electrons. A. Punjabi and G. Vahala 389

Nonlinear saturation of resistive modified tearing modes in a toroidal plasma. Part 1. Simon saturation theory in quasi-linear approximation. J. B. Ehrman 423

Excitation of upper-hybrid waves by a tnermal parametric instability. M. C. Lee and S. P. Kuo 463

Long-time states of inverse cascades in the presence of a maximum length scale. M. Hossain, W. H. Matthaeus and D. Montgomery 479

Theory of weakly nonlinear VLF interactions. N. Murdoch 495

Corrigendum and Addendum. B. K. Shivamoggi 511

Editorial Correction 513

Author Index to Volume 30 514

Cumulative Index to Volumes 21–30 (1979–83) 517